

MORE DIAGNOSTICS • CARDIAC MARKERS CONTROL #150 • VALUE SHEET • EXPECTED VALUES

EXPECTED VALUES	UNITS	LEVEL ONE 150-1		LEVEL TWO 150-2		LEVEL THREE 150-3	
		LOT 80151	EXPECTED RANGE	LOT 80152	EXPECTED RANGE	LOT 80153	EXPECTED RANGE
TROPONIN							
DIMENSION RXL	ng/mL	0.04	0.00-0.13	1.90	1.04-2.76	28.93	20.25-37.61
BECKMAN ACCESS AccuTnI +3 (P/N A98143)	ng/mL	0.05	0.02-0.08	1.20	0.60-1.80	19.76	10.87-28.65
BECKMAN ACCESS TropI	ng/ml	0.05	0.02-0.08	1.17	1.11-1.23	18.98	16.82-21.14
BECKMAN ACCESS hsTnI	pg/mL	47.43	39.66-55.20	1130.22	1022.28-1238.16	14438.04	12105.72-16770.36
BECKMAN DXI AccuTnI +3 (P/N A98264)	ng/mL	0.05	0.02-0.08	1.14	0.93-1.35	17.92	15.76-20.08
BECKMAN DXI TropI	ng/mL	0.07	0.04-0.10	1.63	1.36-1.90	23.71	19.72-27.70
BECKMAN DXI hsTnI	pg/mL	53.23	47.26-59.20	1242.04	1072.36-1411.72	13807.08	11754.87-15859.29
MYOGLOBIN							
DIMENSION RXL	ng/mL	42	29-55	161	113-209	420	294-546
BECKMAN ACCESS	ng/mL	31.61	22.13-41.09	104.64	73.25-136.03	257.07	179.95-334.19
CKMB (MASS)							
DIMENSION RXL	ng/mL	2.1	1.5-2.7	26.4	18.5-34.3	86.8	60.8-112.8
BECKMAN ACCESS	ng/mL	3.36	2.35-4.37	30.33	21.23-39.43	87.25	61.07-113.43
BECKMAN DXI	ng/mL	3.26	2.87-3.65	29.78	26.09-33.47	84.70	76.03-93.37
CRP							
DIMENSION RXL CCRP	mg/L	3.72	0.00-7.44	10.06	7.39-12.73	19.54	14.50-24.58
BECKMAN DXC CRP	mg/dL	0.33	0.23-0.43	0.99	0.78-1.20	1.89	1.71-2.07

STABILITY: FROZEN: THIS PRODUCT IS STABLE UNTIL EXPIRATION DATE ON THE VIAL WHEN KEPT AT LESS THAN -26°C.

STABILITY: THAWED: THIS PRODUCT IS STABLE FOR 15 DAYS WHEN STORED TIGHTLY CAPPED AT 2 TO 8°C.

DO NOT REFREEZE AFTER THAWING. Rev. No. ORIGINAL 2018/06 PN 150 010



CCYY-MM-DD 2020-01-15

MORE DIAGNOSTICS, INC., LOS OSOS, CA. 93402 (800) 758-0978